



# PORTER PIPE & SUPPLY

## ANVIL STRUT

DISCOUNT \_\_\_\_\_ %

### SCHEDULE AAA

Type	Description	Width	Height	Gauge	Green	Green Part No	Galv	Galv Part No
AS200	Channel	1-5/8	1-5/8	12	23.83	B22G20	23.68	B22GA20
AS200EH	Elongated Holes	1-5/8	1-5/8	12	25.11	B22SHG20	25.69	B22SHGA20
AS200BTB	Back To Back	1-5/8	1-5/8	12	41.27	B22AG20	42.05	B22AGA20
AS210	Channel	1-5/8	1-5/8	14	18.09	B24G20	19.35	B24GA20
AS210EH	Elongated Holes	1-5/8	1-5/8	14	19.35	B24SHG20	20.45	B24SHGA20
AS500	Channel	1-5/8	7/8	14	13.64	B54G20	13.95	B54GA20
AS500EH	Elongated Holes	1-5/8	7/8	14	14.74	B54SHG20	15.27	B54SHGA20

DISCOUNT \_\_\_\_\_ %

### SCHEDULE AA

Type	Description	Width	Height	Gauge	Green	Green Part No	Galv	Galv Part No
AS100	Channel	1-5/8	3-1/4	12	33.07	B11G20	32.61	B11GA20
AS100S	3" Slots	1-5/8	3-1/4	12	74.31	B11SG20	74.42	B11SGA20
AS100EH	Elongated Holes	1-5/8	3-1/4	12	28.27	B11SHG20	27.87	B11SHGA20
AS100BTB	Back To Back	1-5/8	3-1/4	12	115.68	B11AG20	114.35	B11AGA20
AS150	Channel	1-5/8	2-7/16	12	21.80	B12G20	21.49	B12GA20
AS150EH	Elongated Holes	1-5/8	2-7/16	12	21.99	B12SHG20	21.68	B12SHGA20
AS150S	3" Slots	1-5/8	2-7/16	12	59.78	B12SG20	60.18	B12SGA20
AS150BTB	Back To Back	1-5/8	2-7/16	12	94.62	B12AG20	93.29	B12AGA20
AS200S	3" Slots	1-5/8	1-5/8	12	27.91	B22SG20	29.26	B22SGA20
AS210S	3" Slots	1-5/8	1-5/8	14	31.33	B24SG20	32.02	B24SGA20
AS210BTB	Back To Back	1-5/8	1-5/8	14	72.77	B24AG20	74.34	B24AGA20
AS300	Channel	1-5/8	1-3/8	12	16.24	B32NHG20	16.01	B32GA20
AS300EH	Elongated Holes	1-5/8	1-3/8	12	16.44	B32SHG20	16.21	B32SHGA20
AS300S	3" Slots	1-5/8	1-3/8	12	42.50	2400003022	43.39	2400102683
AS300BTB	Back To Back	1-5/8	1-3/8	12	75.83	2400003048	77.61	2400102709
AS500S	3" Slots	1-5/8	7/8	14	22.61	B54SG20	22.59	B54SGA20
AS500BTB	Back To Back	1-5/8	7/8	14	47.38	B54AG20	46.83	B54AGA20

DISCOUNT \_\_\_\_\_ %

### SCHEDULE A

Size	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	3-1/2	4
Strut Clamp - Zinc	---	6.21	5.20	5.36	6.12	6.94	8.96	9.69	11.31	12.50	13.07	15.90
OD Strut Clamp - Zinc	---	4.10	4.20	4.42	5.40	6.22	6.91	10.36	11.59	18.71	20.61	26.14
OD Strut Clamp - Cpr	5.05	5.46	5.87	6.63	7.17	9.59	10.65	15.43	17.93	21.01	---	30.28
Vibra Clamp	13.21	13.21	13.21	14.64	18.52	21.74	27.99	47.32	56.36	63.74	122.80	122.80
IPS Vibra Clamp	17.66	18.52	19.38	19.81	25.50	36.32	---	---	---	---	---	---

Size	5	6	8	10	12
Strut Clamp - Zinc	22.73	28.39	40.88	54.34	77.86
OD Strut Clamp - Zinc	31.36	42.04	60.49	---	---
OD Strut Clamp - Cpr	---	---	---	---	---
Vibra Clamp	---	---	---	---	---
IPS Vibra Clamp	391.16	509.64	---	---	---

NOTE: PRICES SUBJECT TO CHANGE WITHOUT NOTICE. PLEASE CALL OUR OFFICE FOR MOST CURRENT PRICES.



## ANVIL STRUT

DISCOUNT \_\_\_\_\_ %

**SCHEDULE A**

Size	1/4	5/16	3/8	1/2	5/8	3/4	7/8
Spring Nut	4.52	5.81	4.36	5.36	8.79	12.43	17.42
Spring Nut w/o Spring	4.50	5.04	3.91	4.63	7.06	10.15	13.23
Sq Washer - Green	4.06	---	3.95	3.95	5.65	6.58	POA
Sq Washer - Galv	3.95	---	3.84	3.84	5.50	6.40	POA

DISCOUNT \_\_\_\_\_ %

**SCHEDULE B**

Size	1/4	3/8	1/2	5/8	3/4	7/8	1	1-1/4	1-1/2	2	2-1/2	3
EMT Cond Clamp	---	---	4.71	---	4.82	---	5.59	6.29	7.80	8.15	---	---
1 Hole Clamp	7.44	7.53	8.02	9.49	9.95	10.47	11.01	---	---	---	---	---
Hold Down Clamp	---	---	20.97	---	22.10	---	22.87	23.79	24.46	38.48	41.18	43.26

DISCOUNT \_\_\_\_\_ %

**SCHEDULE C**

Size	1/4	5/16	3/8	1/2
Twirl Nut	6.45	POA	6.71	7.08


**PORTER**  
**PIPE & SUPPLY**
**ANVIL STRUT**

DISCOUNT \_\_\_\_\_ %

**SCHEDULE D**

Type	Green	Galv	Type	Green	Galv	Type	Green	Galv
2H Splice Plate	8.91	8.75	2H Adj Corner Angle	36.07	36.30	Universal Angle	36.56	34.76
3H Splice Plate	13.47	13.25	2H Adj Angle	23.42	23.16	2064 Dbl Post Base	193.69	189.58
Cross Plate	48.52	48.71	Slotted 90 Angle	22.11	20.85	3013 Sgl Post Base	102.76	103.07
T Plate	27.34	26.92	605 3H Corner Angle	12.88	12.82	3013FL Sgl Post Base	104.62	120.31
Flat Angle Plate	18.45	18.23	606 3H Corner Angle	10.91	10.89	3013SQ Sgl Post Base	101.66	103.07
4H Corner Plate	19.01	17.36	745 3H Corner Angle	13.45	14.39	3025 Post Base	98.21	97.85
4H Splice Plate	19.01	17.36	4H Corner Angle	15.16	14.52	3025FL Post Base	98.33	97.85
2H Splice AS200/210	40.31	40.52	4H Open Angle	30.60	28.88	3033 Post Base	106.10	106.10
2H Splice AS500/520	30.58	30.33	4H Closed Angle	40.19	38.95	3033SQ Post Base	106.13	106.10
3H Splice AS200/210	54.32	54.79	4H Joint Corner	58.40	59.56	3064 Dbl Post Base	124.57	125.21
3H Splice AS500/520	44.60	43.58	4H Corner Connect	37.60	37.55	2651 T1 Beam Clamp	---	20.06
4H Splice AS200/210	59.74	59.74	4H Double Corner	35.83	35.35	2651 T2 Beam Clamp	---	24.04
4H Splice AS500/520	53.11	52.19	RH 2H Single Corner	43.55	43.82	3/8 51 Corner Clamp	---	23.85
U Support AS200/210	18.04	18.04	LH 2H Single Corner	43.55	43.55	1/2 51 Corner Clamp	---	22.48
U Support AS500/520	27.33	27.33	5H Two Angle	57.51	57.74	3/4 51 Corner Clamp	---	22.38
U Support AS150	47.13	47.56	6H Double Corner	45.66	45.66	1 51 Corner Clamp	---	24.35
U Support AS100	58.21	59.01	8H Double Angle	65.96	65.96	1-1/2 51 Corner Clamp	---	33.26
2H Offset Z Support	16.20	15.98	8H Double Corner	65.11	64.83	2 51 Corner Clamp	---	43.06
Z Support 150	33.26	34.23	6H Three Angle	56.79	56.70	2-1/2 51 Corner Clamp	---	44.29
2H End Angle	7.08	7.10	Cup Support AS200/210	31.18	31.69	3 51 Corner Clamp	---	59.23
2H Closed Angle	19.10	19.18	Reversible Bracket	80.23	101.97	3-1/2 51 Corner Clamp	---	86.82
2H Open Angle	17.36	21.67	Strut Brace	47.52	48.41	4 51 Corner Clamp	---	89.90

DISCOUNT \_\_\_\_\_ %

**SCHEDULE E**

Type	Description	Width	Height	Gauge	Galv
AS349	Concrete Insert	1-5/8	1-3/8	12	38.22